Approved For Release 2005/12/25 : CIA-RDP78T0475 1A000300050033-2

Copy No 47

JOINT PHOTOGRAPHIC INTELLIGENCE BRIEF ARMY-NAVY-CIA

(Published and Disseminated by CIA/PIC)

: Surface-to-Air Missile SUBJECT

* PIC/JB-32/60 NO

Support Facility

DATE: 23 March 1960

LOCATION: 5 nm NE of Zhigulevsk Dam,

COORD: 53°31'N 49°33'E Volga River, USSR





Figure 1. SAM SUPPORT FACILITY 5 NM NE OF ZHIGULEVSK DAM,

Declass Review by NGA / DoD

Approved For Release 2005/12/25: CIA-RDP78T04751A000300050033-2



TOP SEGRET

Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050033-2

TOP SEGRET

PIC/JB-32/60

25X1D

Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050033-2

PIC/JB-32/60

REFERENCE POINT: ZHIGULEVSK DAM, V 49°29'00"E.	VOLGA RIVER,	BE No	53°27'00"N - 25X1
LOCATION: 5 nm northeast of refe	erence point.		
FUNCTION This support facility s Zhigulevsk Dam.	serves SAM site	s deployed for t	the defense of
FACILITY STATUS: Complete and operation	onal.		
MISSILES: 24 probable GUIDELI	NE type missile	s. canvas covei	·ed.
VEHICLES AND EQUIPMI 18 Tractors and 24 m 6 Mobile missile lau 3 Prime movers. 9 Van-type trailers. 4 YAZ-210 trucks w 2 Probable K-104 he 15 Miscellaneous truc 4 Packing crates 4 Packing crates	ENT: dissile trailers. dischers, canvas dith large cargo deavy cranes.	covered.	
COMMUNICATIONS: None visible.			
OVERHEAD POWER and/ Overhead wire line le		ATION LINE:	
STRUCTURES:			
Description	Roof Type	No Stories	Dimensions (feet)
Drive-through checkout/maintenance bldg.			
Base	Gable	2	180×80

25X1D

-3-

TOP SECRET | Approved For Release 2005/12/25 : CIA-RIPP78T04751A000300050033-2

PIC/JB-32/60

Wing	Shed	2	80×30
Drive-through checkout	Gable	1	70×35
bldg.			
Drive-through checkout	Gable	1	70×30
bldg .			
Drive-through checkout	Gable	1	55×30
bldg.			
Revetted storage bldg.	Gable	1	100×30
Revetted storage bldg.	Gable	1	40×35
Revetted storage bldg.	Gable	1	25×25
Possible barracks	Gable	1	55×35
Shed	Shed	1	45×40
Guardhouse	Complex	1	40×35
Support bldg.	Gable	1	25×20

Other features include:

reader of microaco.		I	
2 Horizontal tanks, revetted,	each	in	25X1E
diameter.			

1 Earthen bunker, 1 Earthen bunker,

ieet.

SECURITY:

Board fence 1600 x 650 feet encloses facility.

Six guard towers.

Possible peripheral light poles.

REMARKS:

This facility is situated on gently rolling terrain near the edge of a forested area.

MAP REFERENCES:

WAC 165; AMS-Series N 501, Sheet NN 39-7.

25X1D

PHO	OTO DATA			
·				

25X1D